

FIG. 1




FIG. 1




FIG. 2





FIG. 3a

09905590-071301






FIG. 3c

111




FIG. 4a




FIG. 4b




FIG. 4c




FIG. 5a





FIG. 5b



single note - can be in either 6 parallel, a computer, the other

1st Tradeoff is, piff more efficiency at capital cost

2nd, Currently the following are all ground engines

likely are 1000

FIG. 6a.




FIG. 6a
7a




FIG. 6b
7b




FIG. 6c
7c




FIG. 6d
7d




FIG. 6e
7e

00005590-071301




FIG. 8a




FIG. 8b




FIG. 8c







FIG. 8d



09905400071301



not on right
- about 10
about "old
and good
- about 10
- 10

~~don't take
any more
part in book
energy (if available)
will be used
to make dist.
- 15th~~

87
Authentic, were traces of
of song families.

~~add~~ add X^{AD}
as needed




FIG. 6A




FIG. 6B




FIG. 6C

00005590-071301

OLD

FIG. 6D






FIG. 6E



00000000-00000000

OCD



① ID user ← initially
(internal)

- MIC ID (eg 2 digits) as ID
 - touch
 - voice print
 - localizer (eg using multiple mics to sound energy)
 - seating
 - etc.
 - announce
- can analyze or speaker can say into l-n for someone a voice print to allow ID up or further be stored locally, with an authentication authority or external
- when unique mic ID, can easily verify, but still need ID for user if transfer is applicable.

Speech
Engine

09905590-071301
TOET 40-06550660




FIG. 8




FIG. 5
(VI Converter)

Application
Program
Screenshot

File		Edit	View	Tools	Message
News		Reply	Forward	Print	Delete Send Addresses
Inbox ?					
Folder	<input checked="" type="checkbox"/>	Flag	To:	From:	Subject:
<input type="checkbox"/> Mailbox	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Tom	Bob	Gift
<input checked="" type="checkbox"/> Inbox	<input type="checkbox"/>		Tom	Dave	Patent
<input type="checkbox"/> Sent			Tom	Fred	Car
<input type="checkbox"/> Work			Tom	Brenda	Dinner
<input type="checkbox"/> Jokes					
<input type="checkbox"/> Trash					

FIG. 10

✓ Email
Example
Command
Execution
Modules

Using Generic Roots

Manipulating The Interface

Traversing The Interface

Sorting Messages

Merging Messages

Interacting with the
Address Book.

Controlling Data Remotely

Using Alternatives

Using Enhancements

Using Substitutes

09905590-071301

FIG. 1A

09905590.071301




FIG. 11B

09905590-071301




FIG. 12

095050-0101

ContactName - Properties

Sum Name Home Biz Pers Other

Text Area

▼

Add

OK Cancel

ContactName - Properties	
File Edit View Message	
Look in <input type="text"/>	<input type="button" value="Browse"/>
From <input type="text"/>	<input type="button" value="Find Now"/>
To <input type="text"/>	<input type="button" value="Stop"/>
Subject <input type="text"/>	<input type="button" value="New Strch"/>
Message <input type="text"/>	
Rec Before <input type="checkbox"/> <input type="text"/>	<input type="checkbox"/> <input type="checkbox"/>
Rec After <input type="checkbox"/> <input type="text"/>	
<div> <div>Message-1</div> <div>Message-2</div> <div>...</div> </div>	

Address Book - Main Identity

File Edit View Tools Help

C-Folder-1
C-Folder-2
C-Folder-3
C-Folder-4
Group-1
Group-2

CF1 Contact-1
CF1 Contact-2
CF1 Contact-3
CF1 Contact-4

16:13





FIG. 14




- Individual connections to Convert Control (eg instantiation) not shown for clarity
- Note: Convert control ^{not} ^{be} necessary where interface/control are separately received

FIG.


NEW END CONVERSION

09905590.071301

00005590-01301



continue / repeat / repeat



Remote Handling (predominant circumstances)

(Traditionally - used interface badly)

Enhance command

multiple list
multiple highlight

get out not need

Divided form or not-highlighted list

1st + 2nd + 3rd

Remote

m.H.pls window

- Each potentially including data carrying
- The forms (primarily) better linked up

Illustrated very folders, but applies to any such as selection!

